





Thule Rapid System Kit 1426

> Instructions

Lexus IS-Series (MK II), 4-dr Sedan, 05-12

Lexus IS-Series, 4-dr Sedan, *06-13

*North America



ISO 11154-E

141426


C.20160310
519-1426-03

Bring your life

thule.com



204 x2




210 x2




x1

206 x2





853 x2



x1

1

	X (scale)	X (mm)	X (inch)
LEXUS IS-Series (MK II), 4-dr Sedan, 05-12	31	961	37 ⁷ / ₈
LEXUS IS-Series, 4-dr Sedan, *06-13	31	961	37 ⁷ / ₈





	Y (scale)	Y (mm)	Y (inch)
LEXUS IS-Series (MK II), 4-dr Sedan, 05-12	28,5	936	36 ⁷ / ₈
LEXUS IS-Series, 4-dr Sedan, *06-13	28,5	936	36 ⁷ / ₈



2

LEXUS IS-Series (MK II), 4-dr Sedan, 05-12

LEXUS IS-Series, 4-dr Sedan, *06-13



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
LEXUS IS-Series (MK II), 4-dr Sedan, 05-12	270	620	10 ⁵/₈	24 ³/₈
LEXUS IS-Series, 4-dr Sedan, *06-13	270	620	10 ⁵/₈	24 ³/₈

